


















SOLDERLESS TERMINAL

<p>SLOTTED RING TONGUE MATERIAL: COPPER</p>  <p style="text-align: center;">NYLON INSULATED</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIRE RANGE (AWG)</th> <th>STUD SIZE</th> <th>PART NO.</th> </tr> </thead> <tbody> <tr> <td>26-24</td> <td>6</td> <td>701-2316</td> </tr> </tbody> </table>	WIRE RANGE (AWG)	STUD SIZE	PART NO.	26-24	6	701-2316	<p>FLAG TERMINAL MATERIAL: COPPER NON-INSULATED</p>  <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIRE RANGE (AWG)</th> <th>STUD SIZE</th> <th>BUTTED SEAM PART NO.</th> </tr> </thead> <tbody> <tr> <td rowspan="3">22-18</td> <td>6</td> <td>701-2355</td> </tr> <tr> <td>8</td> <td>701-2356</td> </tr> <tr> <td>10</td> <td>701-2357</td> </tr> <tr> <td rowspan="3">16-14</td> <td>6</td> <td>701-2500</td> </tr> <tr> <td>8</td> <td>701-2501</td> </tr> <tr> <td>10</td> <td>701-2502</td> </tr> <tr> <td rowspan="3">12-10</td> <td>6</td> <td>701-2660</td> </tr> <tr> <td>8</td> <td>701-2661</td> </tr> <tr> <td>10</td> <td>701-2662</td> </tr> </tbody> </table>	WIRE RANGE (AWG)	STUD SIZE	BUTTED SEAM PART NO.	22-18	6	701-2355	8	701-2356	10	701-2357	16-14	6	701-2500	8	701-2501	10	701-2502	12-10	6	701-2660	8	701-2661	10	701-2662	<p style="text-align: center;">FEMALE MATERIAL: TIN PLATED BRASS</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  NON-INSULATED </div> <div style="text-align: center;">  INSULATED </div> </div> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIRE RANGE (AWG)</th> <th>MATES WITH MALE TAB WIDTH (W) X THK</th> <th>PART NO.</th> <th>VINYL INSULATED PART NO.</th> </tr> </thead> <tbody> <tr> <td rowspan="2">22-18</td> <td>.187 X .020</td> <td>701-2071</td> <td>701-2069</td> </tr> <tr> <td>.250 X .032</td> <td>701-2066</td> <td>701-2061</td> </tr> <tr> <td rowspan="2">16-14</td> <td>.187 X .020</td> <td>701-2072</td> <td>701-2070</td> </tr> <tr> <td>.250 X .032</td> <td>701-2067</td> <td>701-2062</td> </tr> <tr> <td rowspan="2">14-12</td> <td>.250 X .032</td> <td>701-2068</td> <td>-</td> </tr> <tr> <td>.250 X .032</td> <td>-</td> <td>701-2063</td> </tr> </tbody> </table>		WIRE RANGE (AWG)	MATES WITH MALE TAB WIDTH (W) X THK	PART NO.	VINYL INSULATED PART NO.	22-18	.187 X .020	701-2071	701-2069	.250 X .032	701-2066	701-2061	16-14	.187 X .020	701-2072	701-2070	.250 X .032	701-2067	701-2062	14-12	.250 X .032	701-2068	-	.250 X .032	-	701-2063
WIRE RANGE (AWG)	STUD SIZE	PART NO.																																																								
26-24	6	701-2316																																																								
WIRE RANGE (AWG)	STUD SIZE	BUTTED SEAM PART NO.																																																								
22-18	6	701-2355																																																								
	8	701-2356																																																								
	10	701-2357																																																								
16-14	6	701-2500																																																								
	8	701-2501																																																								
	10	701-2502																																																								
12-10	6	701-2660																																																								
	8	701-2661																																																								
	10	701-2662																																																								
WIRE RANGE (AWG)	MATES WITH MALE TAB WIDTH (W) X THK	PART NO.	VINYL INSULATED PART NO.																																																							
22-18	.187 X .020	701-2071	701-2069																																																							
	.250 X .032	701-2066	701-2061																																																							
16-14	.187 X .020	701-2072	701-2070																																																							
	.250 X .032	701-2067	701-2062																																																							
14-12	.250 X .032	701-2068	-																																																							
	.250 X .032	-	701-2063																																																							
QUICK SLIDES		<p>FEMALE FULLY INSULATED NYLON MATERIAL: TIN PLATED BRASS</p>  <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIRE RANGE (AWG)</th> <th>MATES WITH MALE TAB WIDTH (W) x THICKNESS</th> <th>PART NO.</th> </tr> </thead> <tbody> <tr> <td>22-18</td> <td>.250 X .032</td> <td>701-2064</td> </tr> <tr> <td>16-14</td> <td>.250 X .032</td> <td>701-2065</td> </tr> </tbody> </table>		WIRE RANGE (AWG)	MATES WITH MALE TAB WIDTH (W) x THICKNESS	PART NO.	22-18	.250 X .032	701-2064	16-14	.250 X .032	701-2065																																														
WIRE RANGE (AWG)	MATES WITH MALE TAB WIDTH (W) x THICKNESS	PART NO.																																																								
22-18	.250 X .032	701-2064																																																								
16-14	.250 X .032	701-2065																																																								
<p style="text-align: center;">MALE MATERIAL: COPPER</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  NON-INSULATED </div> <div style="text-align: center;">  INSULATED </div> </div> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIRE RANGE (AWG)</th> <th>MALE TAB WIDTH (W) X THICKNESS</th> <th>PART NO.</th> <th>VINYL INSULATED PART NO.</th> </tr> </thead> <tbody> <tr> <td rowspan="2">22-18</td> <td>.187 X .020</td> <td>701-2741</td> <td>701-2085</td> </tr> <tr> <td>.250 X .032</td> <td>701-2075</td> <td>701-2073</td> </tr> <tr> <td rowspan="2">16-14</td> <td>.187 X .020</td> <td>701-2740</td> <td>701-2743</td> </tr> <tr> <td>.250 X .032</td> <td>701-2076</td> <td>701-2074</td> </tr> </tbody> </table>		WIRE RANGE (AWG)	MALE TAB WIDTH (W) X THICKNESS	PART NO.	VINYL INSULATED PART NO.	22-18	.187 X .020	701-2741	701-2085	.250 X .032	701-2075	701-2073	16-14	.187 X .020	701-2740	701-2743	.250 X .032	701-2076	701-2074	<p>MALE FULLY INSULATED NYLON MATERIAL: TIN PLATED BRASS</p>  <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIRE RANGE (AWG)</th> <th>MALE TAB WIDTH (W) X THICKNESS</th> <th>PART NO.</th> </tr> </thead> <tbody> <tr> <td>22-18</td> <td>.250 X .032</td> <td>701-2752</td> </tr> <tr> <td>16-14</td> <td>.250 X .032</td> <td>701-2753</td> </tr> </tbody> </table>		WIRE RANGE (AWG)	MALE TAB WIDTH (W) X THICKNESS	PART NO.	22-18	.250 X .032	701-2752	16-14	.250 X .032	701-2753																												
WIRE RANGE (AWG)	MALE TAB WIDTH (W) X THICKNESS	PART NO.	VINYL INSULATED PART NO.																																																							
22-18	.187 X .020	701-2741	701-2085																																																							
	.250 X .032	701-2075	701-2073																																																							
16-14	.187 X .020	701-2740	701-2743																																																							
	.250 X .032	701-2076	701-2074																																																							
WIRE RANGE (AWG)	MALE TAB WIDTH (W) X THICKNESS	PART NO.																																																								
22-18	.250 X .032	701-2752																																																								
16-14	.250 X .032	701-2753																																																								
<p>MALE VINYL INSULATED DOUBLE MALE MATERIAL: COPPER, TIN PLATED</p>  <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>MALE TAB WIDTH (W) X THICKNESS</th> <th>PART NO.</th> </tr> </thead> <tbody> <tr> <td>.250 X .030</td> <td>701-2771</td> </tr> </tbody> </table>		MALE TAB WIDTH (W) X THICKNESS	PART NO.	.250 X .030	701-2771	QUICK SLIDE ACCESSORIES																																																				
MALE TAB WIDTH (W) X THICKNESS	PART NO.																																																									
.250 X .030	701-2771																																																									
<p>FEMALE QUICK SLIDE FLAG MATERIAL: BRASS TIN PLATED</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  NON-INSULATED </div> <div style="text-align: center;">  INSULATED </div> </div> <p style="text-align: center;">BUTTED SEAM</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIRE RANGE (AWG)</th> <th>MATES WITH MALE TAB WIDTH (W) X THICKNESS</th> <th>PART NO.</th> </tr> </thead> <tbody> <tr> <td rowspan="2">22-18</td> <td>.187 X .020</td> <td>701-2760</td> </tr> <tr> <td>.250 X .032</td> <td>701-2761</td> </tr> <tr> <td rowspan="2">16-14</td> <td>.187 X .020</td> <td>701-2762</td> </tr> <tr> <td>.250 X .032</td> <td>701-2763</td> </tr> </tbody> </table>		WIRE RANGE (AWG)	MATES WITH MALE TAB WIDTH (W) X THICKNESS	PART NO.	22-18	.187 X .020	701-2760	.250 X .032	701-2761	16-14	.187 X .020	701-2762	.250 X .032	701-2763	<p>MULTI-STACK DISCONNECT MATERIAL: TIN PLATED BRASS</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  NON-INSULATED </div> <div style="text-align: center;">  INSULATED </div> </div> <p style="text-align: center;">BUTTED SEAM</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIRE RANGE (AWG)</th> <th>MATES WITH FEM. & MALE WIDTH (W) X THICKNESS</th> <th>PART NO.</th> <th>VINYL INSULATED PART NO.</th> </tr> </thead> <tbody> <tr> <td rowspan="2">22-18</td> <td>.250 X .032</td> <td>701-2780</td> <td>701-2784</td> </tr> <tr> <td>.250 X .032</td> <td>701-2781</td> <td>701-2785</td> </tr> </tbody> </table>		WIRE RANGE (AWG)	MATES WITH FEM. & MALE WIDTH (W) X THICKNESS	PART NO.	VINYL INSULATED PART NO.	22-18	.250 X .032	701-2780	701-2784	.250 X .032	701-2781	701-2785																															
WIRE RANGE (AWG)	MATES WITH MALE TAB WIDTH (W) X THICKNESS	PART NO.																																																								
22-18	.187 X .020	701-2760																																																								
	.250 X .032	701-2761																																																								
16-14	.187 X .020	701-2762																																																								
	.250 X .032	701-2763																																																								
WIRE RANGE (AWG)	MATES WITH FEM. & MALE WIDTH (W) X THICKNESS	PART NO.	VINYL INSULATED PART NO.																																																							
22-18	.250 X .032	701-2780	701-2784																																																							
	.250 X .032	701-2781	701-2785																																																							
<p>SELF-MATING CROSS-LOCK MATERIAL: BRASS TIN PLATED</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  NON-INSULATED </div> <div style="text-align: center;">  INSULATED </div> </div> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIRE RANGE (AWG)</th> <th>TAB WIDTH (W)</th> <th>TAB THICKNESS</th> <th>PART NO.</th> <th>VINYL INSULATED PART NO.</th> </tr> </thead> <tbody> <tr> <td>22-18</td> <td>.250</td> <td>SELF-MATING PARTS</td> <td>701-2773</td> <td>701-2776</td> </tr> <tr> <td>16-14</td> <td>.250</td> <td>SELF-MATING PARTS</td> <td>701-2774</td> <td>701-2777</td> </tr> </tbody> </table>		WIRE RANGE (AWG)	TAB WIDTH (W)	TAB THICKNESS	PART NO.	VINYL INSULATED PART NO.	22-18	.250	SELF-MATING PARTS	701-2773	701-2776	16-14	.250	SELF-MATING PARTS	701-2774	701-2777	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>FEMALE DOUBLE ADAPTER MATERIAL: BRASS</p>  <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIDTH (W) X THICKNESS</th> <th>PART NO.</th> </tr> </thead> <tbody> <tr> <td>.250 X .032</td> <td>701-2788</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>MALE DOUBLE ADAPTER MATERIAL: BRASS</p>  <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>WIDTH (W) X THICKNESS</th> <th>PART NO.</th> </tr> </thead> <tbody> <tr> <td>.250 X .032</td> <td>701-2789</td> </tr> </tbody> </table> </div> </div>		WIDTH (W) X THICKNESS	PART NO.	.250 X .032	701-2788	WIDTH (W) X THICKNESS	PART NO.	.250 X .032	701-2789																																
WIRE RANGE (AWG)	TAB WIDTH (W)	TAB THICKNESS	PART NO.	VINYL INSULATED PART NO.																																																						
22-18	.250	SELF-MATING PARTS	701-2773	701-2776																																																						
16-14	.250	SELF-MATING PARTS	701-2774	701-2777																																																						
WIDTH (W) X THICKNESS	PART NO.																																																									
.250 X .032	701-2788																																																									
WIDTH (W) X THICKNESS	PART NO.																																																									
.250 X .032	701-2789																																																									



COLOR CHART
 CLEAR (AMBER): 26-24 AWG BLUE: 16-14 AWG
 RED: 22-18 AWG YELLOW: 12-10 AWG

e-mail : info@concord-elex.com
 800-847-4162 (outside N.Y.S.)
 212-777-6571 • fax. 212-995-0161