SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

Emergency Contact: Chemtrec

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Glass Cleaner

Product Name: GLASS TREATMENT COMPOUND Phone: (800) 424-9300 Part Number(s): 10-1756 SECTION 2. HAZARDOUS INGREDIENTS Category 3 **Physical hazards** Flammable liquids Not classified. Health hazards Environmental hazards Not classified. **OSHA** defined hazards Not classified. Label elements Signal word Danger flammable liquid and vapor. Hazard statement Precautionary statement Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly Prevention closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Response In case of fire: Use appropriate media to extinguish. Storage Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal Hazard(s) not otherwise None known. classified (HNOC) Supplemental information None.



Product Type:



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---------------------------------|--------------------------|------------|----|
| 2-PROPANOL | | 67-63-0 | 4 |
| Other components below reportab | le levels | | 96 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
|--|---|
| Skin contact | Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. |
| Most important symptoms/effects, acute and delayed | Direct contact with eyes may cause temporary irritation. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. |
| General information | Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. |

SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | Carbon dioxide (CO2). Dry chemical powder |
|--|--|
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. |



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 5. FIRE-FIGHTING MEASURES (CONTINUED)

| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
|--|---|
| Fire fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | Highly flammable liquid and vapor. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. |
|---|--|
| | Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Use only non-sparking tools. |
| | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. |
| | Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination. |
| Environmental precautions | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. |
| | |



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 7. HANDLING AND STORAGE

| Precautions for safe handling | Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect |
|-------------------------------|---|
| | material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust |
| | ventilation. Take precautionary measures against static discharges. All equipment used when |
| | handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. |
| | Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good |
| | industrial hygiene practices. |

Conditions for safe storage, Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Occupational exposure limits

| US. OSHA Table Z-1 Limits for Ai Components | Туре | , Value | |
|--|------------|-----------|--|
| 2-PROPANOL (CAS 67-63-0) | PEL | 980 mg/m3 | |
| | | 400 ppm | |
| | | 400 ppm | |
| US. ACGIH Threshold Limit Value | es | 400 ppm | |
| US. ACGIH Threshold Limit Value Components | es Type | Value | |
| | | | |



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION (CONTINUED)

| Components | Туј | | | alue |
|--|---|---|---|--|
| 2-PROPANOL (CAS 67-63-0) | ST | EL | 12 | 225 mg/m3 |
| | | | 50 | 00 ppm |
| | TΜ | /A | 98 | 30 mg/m3 |
| | | | 40 | 00 ppm |
| iological limit values | | | | |
| ACGIH Biological Exposu | re Indices | | | |
| Components | Value | Determinant | Specimen | Sampling Time |
| 2-PROPANOL (CAS 67-63-0) | 40 mg/l | Acetone | Urine | * |
| * - For sampling details, ple | ase see the source do | ocument. | | |
| | changes per hour |) should be used. Ve | entilation rates sh | Good general ventilation (typically 10 air nould be matched to conditions. If |
| ppropriate engineering ontrols ndividual protection measure | changes per hour applicable, use pr maintain airborne established, main |) should be used. Ve rocess enclosures, lo levels below recommendation tain airborne levels t protective equipment | entilation rates sh local exhaust vent mended exposur o an acceptable ent | nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been |
| ontrols | changes per hour applicable, use pr maintain airborne established, main |) should be used. Ve ocess enclosures, lo levels below recomr tain airborne levels t | entilation rates sh local exhaust vent mended exposur o an acceptable ent | nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been |
| idividual protection measure | changes per hour applicable, use pr maintain airborne established, main |) should be used. Ve rocess enclosures, lo levels below recommendation tain airborne levels t protective equipment | entilation rates sh local exhaust vent mended exposur o an acceptable ent | nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been |
| ndividual protection measure Eye/face protection | changes per hour applicable, use pr maintain airborne established, main s, such as personal Wear safety glass |) should be used. Ve rocess enclosures, lo levels below recommend tain airborne levels t protective equipment ses with side shields | entilation rates sh local exhaust vent mended exposur o an acceptable ent (or goggles). | nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been |
| ndividual protection measure Eye/face protection Skin protection | changes per hour applicable, use pr maintain airborne established, main s, such as personal Wear safety glass Wear appropriate | should be used. Verocess enclosures, lo levels below recommendation tain airborne levels t protective equipmend ses with side shields chemical resistant g | entilation rates sh local exhaust vent mended exposur o an acceptable ent (or goggles). | nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been level. |
| ndividual protection measure Eye/face protection Skin protection Hand protection | changes per hour applicable, use pr maintain airborne established, main es, such as personal Wear safety glass Wear appropriate supplier. Wear suitable pro If engineering cor limits (where appl |) should be used. Vere cocess enclosures, lo levels below recommendation airborne levels to protective equipments with side shields chemical resistant generative clothing. | entilation rates sh local exhaust vent mended exposur o an acceptable ent (or goggles). loves. Suitable g n airborne concer ptable level (in c | nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been level. gloves can be recommended by the glove ntrations below recommended exposure countries where exposure limits have not |
| ndividual protection measure Eye/face protection Skin protection Hand protection Other | changes per hour applicable, use pr maintain airborne established, main established, main wear safety glass Wear appropriate supplier. Wear suitable pro If engineering cor limits (where appl been established) |) should be used. Ve rocess enclosures, lo levels below recommend tain airborne levels t protective equipmend ses with side shields chemical resistant g tective clothing. htrols do not maintair licable) or to an acce | entilation rates sh incal exhaust vent mended exposur o an acceptable ent (or goggles). loves. Suitable g mairborne conce ptable level (in c ator must be wo | nould be matched to conditions. If tilation, or other engineering controls to e limits. If exposure limits have not been level. gloves can be recommended by the glove intrations below recommended exposure countries where exposure limits have not rn. |



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | |
|--|-------------------------------|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | CLEAR |
| Odor | MILD |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | 32 °F (0 °C) |
| Initial boiling point and boiling range | 210.74 °F (99.3 °C) estimated |
| Flash point | 110.0 °F (43.3 °C) |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | 2.5 % estimated |
| Flammability limit - upper (%) | 12 % estimated |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | 750.2 °F (399 °C) estimated |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| | |



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES (CONTINUED)

Other informationDensity8.24 lbs/galExplosive propertiesNot explosive.Flammability classCombustible II estimatedOxidizing propertiesNot oxidizing.Percent volatile99.94 % estimatedSpecific gravity0.99VOC (Weight %)4 % estimated

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|--|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Inhalation | Prolonged inhalation may be harmful. |
|--|--|
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Expected to be a low ingestion hazard. |
| Symptoms related to the physical, chemical and toxicological characteristics | Direct contact with eyes may cause temporary irritation. |
| Information on toxicological effect | cts |
| Acute toxicity | Not available. |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. |



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 11. TOXICOLOGICAL INFORMATION (CONTINUED)

| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. |
|---|---|
| Respiratory or skin sensitization | 1 |
| Respiratory sensitization | Not a respiratory sensitizer. |
| Skin sensitization | This product is not expected to cause skin sensitization. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. |
| Not available. OSHA Specifically Regulate Not listed. | Evaluation of Carcinogenicity d Substances (29 CFR 1910.1001-1050) ogram (NTP) Report on Carcinogens |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity - single exposure | Not classified. |
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Not an aspiration hazard. |
| Chronic effects | Prolonged inhalation may be harmful. |



SDS Number: 203 Revision Date: **03/18/2019** Supersedes Date: **08/18/2015**

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 12. ECOLOGICAL INFORMATION

| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. | | | |
|-------------------------------|---|---------------------------------|-----------------------|--|
| Components | | Species | Test Results | |
| 2-PROPANOL (CAS 67-63-0) | I | | | |
| Aquatic | | | | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | > 1400 mg/l, 96 hours | |
| * Estimates for product may b | e based on additi | ional component data not shown. | | |
| Persistence and degradability | ty No data is available on the degradability of this product. | | | |
| Bioaccumulative potential | | | | |
| Partition coefficient n-octan | ol / water (log K | , | | |
| 2-PROPANOL | | 0.05 | | |
| Mobility in soil | No data availal | ble. | | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
|--|--|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

| DOT Not regulated as dat | packaging may be different from that listed. UN1219 ISOPROPANOL (ISOPROPYL ALCOHOL) SOLUTION (2-PRO | , | 3 - II No. F-E, S-D | IMDG | |
|--|---|---|---------------------------------|--------------|--|
| Special precautions for user Read safety instructions, SDS and emergency procedures before handling. | | | | | |
| Part Number(s): 10-17 | 56 | | | Page 9 of 12 | |



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 15. REGULATORY INFORMATION

| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. | | | | |
|--|---|---|-------------------------------|--|--|
| TSCA Section 12(b) Export | Notification (40 CFR 70 | 7, Subpt. D) | | | |
| Not regulated. | | | | | |
| CERCLA Hazardous Substa | ince List (40 CFR 302.4) |) | | | |
| Not listed. | | | | | |
| SARA 304 Emergency relea | se notification | | | | |
| Not regulated. OSHA Specifically Regulate | d Substances /29 CEP | 1910 1001 1050) | | | |
| Not listed. | a Substances (25 CFR | 1910.1001-1030) | | | |
| Superfund Amendments and Re | authorization Act of 19 | NGC (CADA) | | | |
| Hazard categories | Immediate Hazard - N | . , | | | |
| Thazard categories | Delayed Hazard - No | | | | |
| | Fire Hazard - Yes | | | | |
| | Pressure Hazard - No Reactivity Hazard - No | | | | |
| SARA 302 Extremely hazard | • | | | | |
| Not listed. | | | | | |
| SARA 311/312 Hazardous chemical | Yes | | | | |
| SARA 313 (TRI reporting) Not regulated. | | | | | |
| Other federal regulations | | | | | |
| Clean Air Act (CAA) Section | n 112 Hazardous Air Po | llutants (HAPs) List | | | |
| Not regulated. | | | | | |
| Clean Air Act (CAA) Section | n 112(r) Accidental Rele | ease Prevention (40 CFR 68.130) | | | |
| Not regulated. | | FEMA Priority Substances Res | piratory Health and | | |
| Safe Drinking Water Act | Not regulated. | Safety in the Flavor Manufact | . , | | |
| (SDWA) | | 2-PROPANOL (CAS 67-63-0) | Low priority | | |
| US state regulations | | | | | |
| US. California Controlled Su Not listed. | ubstances. CA Departm | nent of Justice (California Health and Safe | ty Code Section 11100) | | |
| US. California. Candidate Cl (a)) | hemicals List. Safer Co | nsumer Products Regulations (Cal. Code | Regs, tit. 22, 69502.3, subd. | | |
| 2-PROPANOL (CAS 67-6 | 63-0) | | | | |
| US. Massachusetts RTK - S | | | | | |
| 2-PROPANOL (CAS 67-6 | 63-0) | | | | |
| | | | Dava 40 at | | |



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 15. REGULATORY INFORMATION (CONTINUED)

US. New Jersey Worker and Community Right-to-Know Act

2-PROPANOL (CAS 67-63-0)

- US. Pennsylvania Worker and Community Right-to-Know Law 2-PROPANOL (CAS 67-63-0)
- US. Rhode Island RTK

2-PROPANOL (CAS 67-63-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | Νο |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16. OTHER INFORMATION

HMIS® ratingsHealth: 0Flammability: 3Physical hazard: 0NFPA ratingsHealth: 2Flammability: 2Instability: 0



SDS Number: 203 Revision Date: 03/18/2019 Supersedes Date: 08/18/2015

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS TREATMENT COMPOUND

SECTION 16. OTHER INFORMATION (CONTINUED)

GC Electronics believes that the information contained herein is accurate and reliable as of the date of this material safety data sheet, but no representation guarantee or warranty, express or implied, is made as to the accuracy, reliability or completeness of the information. Persons receiving information are encouraged to make their own determination as to the information's suitability and completeness for their particular application. NO INFORMATION CONTAINED HEREIN CONSTITUTES A PRODUCT WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED; AND ALL IMPLIED WARRANTIES OF MERCHANT ABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED BY GC ELECTRONICS.