







PART NUMBER CHART					
COLOR	PART NUMBER				
GREY	AT6S-BT				
BLACK	AT6S-BT-BK				
YELLOW	AT6S-BT-YW				

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. THIS PART IS USED ON AT06-6S PLUG WITH ANY MODIFICTION THAT DOES NOT INCLUDE AN END CAP.
- 2. TEMPERATURE RATING : -29°C TO +100°C [-20°F TO +212°F]
- 3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	SEE PART NUMBER CHART			REF:DT6S-BT,DT6S-BT-BK,ST6S-BT-YW						
	PART NUMBER			DESCRIPTION					ITEM	
QUANTITY MATERIALS LIST										
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm).		SIGNATURES		DATE	Amphenol				. I	
2) Tolerances are a		DRAWN:	BROOK.DING	28AUG19	<i>-</i>	7 111	pne		'	
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:	ORION.LI	28AUG19	Sine Systems - www.amphenol-sine.com					
3) Note reference	- 🗴	ENGINEER:			44724 Morley Drive Clinton Township, MI 48036					
MATERIAL SPECIFICA	TIONS:	APPROVAL:	TOMMY.XIE	28AUG19		Cilition	Township, wii 46	036		
PVC THIS DRAWING IS SUPPLIED INFORMATION ONLY, DESIGN SPECIFICATIONS: PROCESS SPECIFICATIONS: SPECIFICATIONS AND PERFORMATION ARE THE PROPORTION AND THE POPULATION ARE THE PROPORTION ARE THE PROPORTION ARE MINIMAL OF REPRODUCTION ARE IMPLIED DIMENSIONS ARE SUBJECT TO MANUFACTURING VARIATION				BOOT ,AT ,6 WAY ,PLUG						
		I FEATURES, ORMANCE DATA ROPERTY OF ON. NO RIGHTS LIED. ALL	A C	DWG NO:	AT6S-BT	-XX	A1			
		RING VARIATION	IS.	SCALE: NONE			SHEET 1	of 1		