# Skip to content | • | | Our commitment. Your advantage.

## • Products

- O By Type
  - Connectors
  - Electromechanical Components
  - Electronic Modules
  - Fiber Optics
  - <u>Filters</u>
  - Identification & Labeling
  - Passive Components
  - Power Sources
  - RF & Microwave Products
  - Tooling Products
  - Touch Screen Displays
  - Tubing, Molded and Harnessing Products
  - Wire, Cable and Cable Assemblies
  - List all product types...
- O <u>By Industry</u>
  - Aerospace & Defense Products
  - Appliance
  - Automotive
  - Communications
  - Computer & Consumer Electronics
  - Industrial & Commercial
  - <u>Instrumentation & Medical</u>
- O By Brand
- O A to Z
- O <u>Product News</u>

## Documentation

- O Find Documents & Drawings
- O Find CAD Models
- O SPICE/Electrical Models
- O NAFTA Certificate of Origin
- O White Papers

## • Resources

- O RoHS Compliance & Alternates
- O Cross Reference Products
- O Compare Multiple Products
- O Check Distributor Inventory
- O Find Authorized Distributors


# • My Account

- O Sign In
- O Register

## • Customer Support

- O Support
- O RoHS Support Center

## T7NS1D1-48 Product Details










Always EU RoHS compliant but not ELV Compliant (Statement of Compliance)

#### **Product Highlights:**

- T7N Series
- Contact Arrangement = 1 Form A, SPST-NO, 1 N/O
- Contact Current Rating = 10 Amps.
- Monostable Coil Magnetic System
- Without Coil Suppression Diode

View all Features | Find Similar Products



- Check Pricing & Availability
- Search for Tooling
- Product Feature Selector
- Compare Products
- Contact Us About This Product

#### **Documentation & Additional Information**

#### **Product Drawings:**

• T7NS1D1-03 CUSTOMER DRAWING (PDF, English)

#### Catalog Pages/Data Sheets:

• T7N 10 Amp Miniature PC Board Relay (PDF, English)

#### **Product Specifications:**

None Available

#### **Application Specifications:**

None Available

#### **Instruction Sheets:**

• None Available

#### CAD Files:

• None Available

#### Additional Information:

• Product Line Information

#### Additional Product Images:

- Schematic
- PCB Layout
- Wiring Diagram

#### **Related Products:**

• <u>Tooling</u>

#### List all Documents

Product Features (Please use the Product Drawing for all design activity)

#### **Product Type Features:**

• <u>Termination Type</u> = Through Hole

#### **Electrical Characteristics:**

- <u>Contact Current Rating (Amps.)</u> = 10
- Coil Resistance (?) = 6400
- Coil Power, Nominal (mW) = 360
- Actuating System = DC
- Input Voltage (VDC) = 48

#### **Body Related Features:**

- Series = T7N
- Polarized = No

#### **Contact Related Features:**

- Mounting Options = PC Board
- Enclosure = Sealed
- FCC Part 68 Isolation = No
- Relay Type = PCB
- Contact Material = Silver Cadmium Oxide
- Approx. Dimensions (L x W x H) (mm[in]) = 22.00 x 16.00 x 16.40 [.867 x .630 x .646]
- Wiring Diagram= 1 Form A
- Approved Standards = UL Recognized, CSA Certified

#### **Configuration Related Features:**

- Contact Arrangement = 1 Form A, SPST-NO, 1 N/O
- <u>Coil Magnetic System</u> = Monostable
- <u>Coil Suppression Diode</u> = Without
- <u>Coil Selection Criteria</u> = Nominal Voltage
- Coil Latching = Without
- <u>LED Indicator</u> = Without

#### **Industry Standards:**

- RoHS/ELV Compliance = RoHS/Not ELV Compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240C, Wave solder capable to 260C, Wave solder capable to 265C
- RoHS/ELV Compliance History = Always was RoHS not ELV compliant
- Coil Insulation Classification = UL Class F

#### Other:

• Brand = Potter & Brumfield

Provide Website Feedback | Contact Customer Support
Home | Customer Support | Suppliers | Site Map | Privacy Policy | Browser Support
2008 Tyco Electronics Corporation All Rights Reserved