

VGM32-MS65 4X7 SL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

**General ordering data**

Version	Cable glands, Cable glands, M 32, 7.5 mm, Brass, nickel-plated
Order No.	2784940000
Type	VGM32-MS65 4X7 SL
GTIN (EAN)	4064675061519
Qty.	25 pc(s).

Creation date December 4, 2023 12:14:33 PM CET

Catalogue status 24.11.2023 / We reserve the right to make technical changes.

VGM32-MS65 4X7 SL

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight 43.34 g

Temperatures

Operating temperature -40 °C... 135 °C

General information

AF size	36 mm	Cable glands	M 32
External thread	M 32	Length of thread	7.5 mm
Material	Brass, nickel-plated	Notch multi-layer sealing diameter 1	7 mm
Notch multi-layer sealing diameter 2	7 mm	Notch multi-layer sealing diameter 3	7 mm
Notch multi-layer sealing diameter 4	7 mm	Protection degree	IP65
Seal insert	TPE	UL 94 flammability rating	V-0
Width, outer dimension C	38.5 mm		

Classifications

ETIM 6.0	EC000441	ETIM 7.0	EC000441
ETIM 8.0	EC000441	ETIM 9.0	EC000441
ECLASS 9.0	27-14-44-32	ECLASS 9.1	27-14-44-32
ECLASS 10.0	27-14-44-32	ECLASS 11.0	27-14-44-32
ECLASS 12.0	27-14-08-01	ECLASS 13.0	27140801

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Downloads

Catalogues [Catalogues in PDF-format](#)

Data sheet

VGM32-MS65 4X7 SL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings



VGM32-MS65 4X7 SL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories**IP65 multi wire sealing****General ordering data**

Type	VB 7.0X25 BK	Version
Order No.	2784930000	Cable glands, Cable glands
GTIN (EAN)	4064675061502	
Qty.	100 pc(s).	